

PLUMBING FIXTURE / ACCESSORIES SCHEDULE		
NO.	ITEM	DESCRIPTION
1	TOILET PAPER DISPENSER	GP COMPACT QUAD TRANSLUCENT SMOKE VERTICAL FOUR ROLL CORELESS TISSUE DISPENSER, ITEM #56744
2	SURFACE MOUNTED SOAP DISPENSER	GOJO TFX TOUCH FREE SOAP DISPENSER, DOVE GRAY, MODEL #2740-12.
3	SURFACE MOUNTED FRAMELESS MIRROR	
4	1 1/4" DIAM. STAINLESS STEEL GRAB BARS (VERIFY ALL SIZES)	1 1/4" CONCEALED MOUNTING, STRAIGHT GRAB BAR, PEENED GRIP, BY BOBRICK OR EQUAL.
5	AUTOMATIC PAPER TOWEL DISPENSER	ENMOTION IMPULSE 8" 1-ROLL AUTOMATED, TOUCHLESS PAPER TOWEL DISPENSER BY GEORGIA PACIFIC, TRANSLUCENT SMOKE, ITEM #59498
6	WASTE PAPER DISPOSAL	BOBRIC TIRIMLINE RECESSED WASTE RECEPTACLE, B-35643
7	TOILET	K-3979-RA-0, K-4636, K-5420, K-9379, 1023457, 1265114, K-237, INCLUDE ALL COMPONENTS BY KOHLER OR EQUAL.
8	SINK	MORNINGSIDE K-12638, INCLUDE ALL PRODUCTS & ACCESSORIES BY KOHLER OR EQUAL.
9	HANDS FREE FAUCET	3362119, SF-2350-BAT-TEE-CP-0.5GMP-MLM-1R-FCT BY SLOAN OR EQUAL.
10	MIRROR	1/4" FLOAT GLASS, TRIPLE SILVER PLATED WITH ELECTRO-COPPER PLATED LAYER & THERMOSETTING INFRARED CURED PAINT PACKING WITH POLYGLAZE FINISH.
		THE FRAMES SHOULD BE ONE PIECE ROLLED STAINLESS STEEL, ANNEALED FINISH (BRIGHT), INCLUDES WALL HANGER, 18 GAUGE COLD ROLLED STEEL ALL WELDED, MIRROR GLASS SHOULD BE MANUFACTURED IN ACCORDANCE WITH ASTM C 1036, ADA COMPLIANT

TILE SCHEDULE					
NO.	MANUFACTURER	ITEM NAME/ COLOR	TYPE	SIZE	FINISH
F-1	DALTILE	QUARRY TEXTURES CC OT01 DIABLO RED WITH COVE BASE 5"x8"	QUARRY	6"x6"x1/2"	TEXTURED
F-2	AMERICAN OLEAN	CC67, ELEGANT GRAY	GLAZED PORCELAIN	12"x12"	MATTE
W-1	AMERICAN OLEAN	66SAM 0091, BISCUIT	GLAZED CERAMIC	6"x6"	GLOSSY

NOTE: PROVIDE ALL REQUIRED BULLNOSE AT TOP AND CORNERS.

DOOR SCHEDULE					
DOOR NO.	SIZE	TYPE	FRAME	RATING	HARDWARE
1.0	3'-0" X 6'-8"	A	2	-	3
2.0	3'-0" X 6'-8"	B	1	-	4
3.0	3'-0" X 6'-8"	C	3	45 MIN	3
4.0	3'-0" X 6'-8"	D	3	-	2
5.0	(2) 3'-6" X 6'-8"	E	3	-	1
6.0	3'-0" X 6'-8"	B	1	-	3

DOOR A - PREFINISHED SOLID CORE WOOD DOOR, 5 PLY CONSTRUCTION, 1-3/4" THICK, MATCHING HARDWARE, WIDTH = 1" TO 1-3/8", PREFINISHED OAK VENEER PLAIN SLICED RED OAK STANDARD STAIN (SS1) (SS2). CONTRACTOR TO SUBMIT (SS1) (SS2) COLOR CHART. BY TRUDOOR, GRAHAM DOORS OR EQUAL.

DOOR B - SIMILAR TO "DOOR A". FLUSH DOOR, NO FULL LITE GLASS.

DOOR C - 1-3/4" FIRE RATED MINERAL CORE WOOD DOOR, 45 MIN WITH FIRE RATED DOOR FRAME. PREFINISHED WITH PLAIN SLICED RED OAK VENEER, STANDARD STAIN (SS1) (SS2) BY TRUDOOR, GRAHAM DOORS OR EQUAL.

DOOD D - JEN WELD SMOOTH FIBERGLASS EXTERIOR DOOR, 2 PANEL EURO PAINTED, COLOR BY ARCHITECT, AURALAST WOOD FRAME.

DOOR E - 16 GAUGE STEEL STIFFENED DOOR ST SERIES DOOR BY MESKER OR EQUAL. PREFINISHED - COLOR BY ARCHITECT.

FRAME 1 - 3 PIECE KNOCKED DOWN DRYWALL FRAME 16 GAUGE COLD ROLLED STEEL, 2" JAMB AND HEAD FACES, EXACT DIE MITE CORNER CONNECTIONS. 14 GAUGE DOOR CLOSER REINFORCEMENT, FACTORY-APPLIED BAKED ON RUST INHIBITING PRIMER BY STEELCRAFT, MESKER, TRUDOOR OR EQUAL.

FRAME 2 - STEEL SIDELITE DOOR FRAME 16 GAUGE, WELDED WITH 12" GLASS SIDE LIGHT, 1/2" TEMPERED GLASS. 5/8" GLASS STOPS. FACTORY-APPLIED RUST INHIBITING PRIMER BY STEELCRAFT, TRUDOOR OR EQUAL.

FRAME 3 - 16 GAUGE WELDED STEEL FRAME, WITH FACTORY APPLIED RUST INHIBITING PRIMER BY MESKER, OR EQUAL. FIRE RATED AS INDICATED.

LOCKSET 1: A 12V POWER SUPPLY WITH 8 RELAYS (SECURITRON AQD4-8F8R2), A REQUEST TO EXIT BUTTON READING, EMERGENCY EXIT AT ADA HEIGHT (SECURITRON EEB2), 2 MAG LOCK INTEGRATED PIR (SECURITRON M680 EBDX), ACCESS CONTROL BANANA CABLE BACK TO CLOSET.

LOCKSET 2: A 12V POWER SUPPLY WITH 8 RELAYS (SECURITRON AQD4-8F8R2), A REQUEST TO EXIT BUTTON READING, EMERGENCY EXIT AT ADA HEIGHT (SECURITRON EEB2), 1 MAG LOCK INTEGRATED PIR (SECURITRON M680 EBDX), ACCESS CONTROL BANANA CABLE BACK TO CLOSET.

LOCKSET 3: ACCESS CONTROL MORTISE LOCKSETS PROVIDED BY OWNER & INSTALLED BY CONTRACTOR IN220-ML20133-IPS-B-NSA-626. THE CONTRACTOR WILL BE RESPONSIBLE FOR INSTALLING WIRE FROM DATA CLOSET TO DOOR FRAME TO LOCKSET MECHANICAL ROOM CLOSER BY LCN.

LOCKSET 4: (2) SETS CORBIN RUSSWIN ML 2030 NSA 626 KEYWAY 77A1.

NOTE: ALL HINGES 4 1/2" BALL BEARING HINGES.

CARRIAGE HOUSE WARMING KITCHEN EQUIPMENT				
NO.	NAME	MODEL	UTILITIES	QTY.
1	TABCO 3-COMP. SINK	FC-3-1818-18RL	H & C WATER	1
2	BUNN COFFEE MAKER	53400.010	C WATER, 120V, 25 AMP	1
3A	EAGLE WORKTABLE 8'	T3096EB	NONE	5
3B	EAGLE WORKTABLE 4'	T2448EB	NONE	1
4	CNTRTOP INDUCTION TRAY	GIR18	1800W, 120V	4
5	PROOFING CABINET	C519-CFC-4	120V, 12AMP, 1440W	3
6	DISHWASHER UNDRCNT.	F-180P	H WATER, 208V, 4550W, 22.3 AMP	1
7	ICE MAKER	KM-901MW1	C WATER, 208V-230V, 10 AMP	1
8	WALL MOUNT HAND SINK	HS-14	H & C WATER	1
9	3-DOOR SS REFRIGERATOR	TS-72-HC	115/60/1V, 15 AMP	1
10	METRO SHELVING 24"x60"		NONE	5

PETER JOHNSTON, ARCHITECT, PC 84 WASHINGTON STREET 2ND FLOOR HOBOKEN N.J. 07030 N.J. LICENSE NO 13073	
PROJECT: UNIVERSITY MAIN CAMPUS CARRIAGE HOUSE WILLIAM PATERSON UNIVERSITY WAYNE, NJ 07470	
TITLE: SCHEDULES	
ZONING:	DATE: 04-27-2021
REV.:	SCALE: As Noted
BID SET 07-30-2021	DRAWN BY: Y.B.
B 8-30-2021	DRAWING NO: A5